

# systemd boot into console

```
cd /lib/systemd/system
ln -sf multi-user.target default.target
```

or alternatively:

```
systemctl set-default multi-user.target
```

you might need to pass "text" rather than "quiet boot" to your kernel through grub (in ubuntu, edit /etc/default/grub then run update-grub)

## Autologin to console

find the original command to see how terminals are started:

```
grep ExecStart /lib/systemd/system/getty@.service
```

the output is something like

```
ExecStart=-/sbin/agetty -o '-p -- \\u' --noclear %I $TERM
```

edit getty@1.service for the first tty:

```
systemctl edit getty@tty1
```


now write the following lines:

```
[Service]
ExecStart=
ExecStart=-/sbin/agetty --autologin myuser --noclear %I $TERM
```

where myuser should be replaced with the username of the user that should be logged in. removing the -o '-p -- \\u' removes the password prompt. if you leave this in the user will be automatically selected but you still need to enter the password to continue.

## Autostart some scripts upon every login

edit ~/.bash\_profile



From:

<http://wiki.psuter.ch/> - **pswiki**

Permanent link:

[http://wiki.psuter.ch/doku.php?id=systemd\\_boot\\_into\\_console](http://wiki.psuter.ch/doku.php?id=systemd_boot_into_console)

Last update: **07.03.2019 15:29**

