05.12.2025 03:24 1/3 ubuntu on asus pro 36j

ubuntu 11.04 on asus pro 36j

this is not yet completed

nvidia card

i could not get the nvidia card to work but so far i didn't need it either.. so in order for it not to waste power and decrease the battery live it can be disabled.. (this is more or less a copy of this great article at ubuntuforums.org)

```
sudo apt-get install git build-essential
git clone http://github.com/mkottman/acpi_call.git
cd acpi_call
make
grep rate /proc/acpi/battery/BAT0/state
--- present rate: 19913 mW
sudo insmod acpi_call.ko
sudo echo '\_SB.PCI0.PEG1.GFX0._OFF' > /proc/acpi/call
grep rate /proc/acpi/battery/BAT0/state
--- present rate: 12558 mW
```

the following steps need to be executed after every kernel update:

```
sudo cp acpi_call.ko /lib/modules/`uname -r`/kernel/drivers/acpi/
sudo depmod
```

now make sure it is loaded on every start of the system:

```
sudo nano /etc/modules
--- add "acpi_call" as the last line and save
sudo nano /etc/rc.local
--- add "echo '\_SB.PCI0.PEG1.GFX0._OFF' > /proc/acpi/call" as the last line
BEFORE exit 0
sudo nano /etc/modprobe.d/blacklist-nvidia.conf
```

enter these two lines:

```
blacklist nouveau
blacklist nvidia
```

```
sudo update-initramfs -u
```

now you should be able to reboot the system and then see the same low power consumption as right now.

auto recompile on kernel update

to keep this all working when a new kernel is installed you have to do the following steps:

```
cd .. && sudo mkdir -p /usr/local/src && sudo cp -r acpi_call /usr/local/src
create a new file
```

```
sudo nano /etc/kernel/postinst.d/acpi-call
```

and paste this into it:

```
#!/bin/bash
# We're passed the version of the kernel being installed
inst kern=$1
if [ ! -e /usr/local/src/acpi call ] ; then
    echo "acpi call: WARNING - Failed to find source directory
/usr/local/src/acpi call. Cannot proceed" >&2
    exit 0
fi
cd /usr/local/src/acpi call/
rm -f acpi_call.ko
make
if [ ! -e acpi call.ko ] ; then
    echo "acpi call: WARNING - Failed to build. Will not be installed in
the new kernel" >&2
    exit 0
fi
cp acpi call.ko /lib/modules/${inst kern}/kernel/drivers/acpi/
```

and make it executable:

```
sudo chmod 755 /etc/kernel/postinst.d/acpi-call
```

fix suspend

the other annoying thing is that suspend is not working correctly. luckily the same article as above provides a fix for that too: create a script that will disable the usb ports and re-enable the nvidia card prior to suspending the computer.. the nvidia card needs to be re-enabled because otherwhise it will become impossible to switch it off again after two resumes.. so create a new file

```
sudo nano /etc/pm/sleep.d/20_custom-asus-pro36jc
```

http://wiki.psuter.ch/ Printed on 05.12.2025 03:24

05.12.2025 03:24 3/3 ubuntu on asus pro 36j

and enter this script:

```
#!/bin/sh
BUSES="0000:00:1a.0 0000:00:1d.0"
case "${1}" in
    hibernate|suspend)
        # Switch USB buses off
        for bus in $BUSES; do
            echo -n $bus | tee /sys/bus/pci/drivers/ehci_hcd/unbind
        done
        # Switch nvidia card on before going to sleep, avoids the "constant
on"
        # bug that occurs after 2 suspend/resume cycles (thanks kos888)
        echo '\ SB.PCIO.PEG1.GFXO. ON' > /proc/acpi/call
        ;;
    resume | thaw)
        # Switch USB buses back on and nvidia card off
        for bus in $BUSES; do
            echo -n $bus | tee /sys/bus/pci/drivers/ehci hcd/bind
        done
        echo '\ SB.PCIO.PEG1.GFXO. OFF' > /proc/acpi/call
        ;;
esac
```

NOTE right now it is not necessary to disable the USB 3.0 Port too because it is not working anyways.. but maybe in the future it might be necessary to add it to the busses too:

```
BUSES="0000:00:1a.0 0000:00:1d.0 0000:07:00.0"
```

now make the file executable:

sudo chmod 755 /etc/pm/sleep.d/20_custom-asus-pro36jc

From

http://wiki.psuter.ch/ - pswiki

Permanent link:

http://wiki.psuter.ch/doku.php?id=ubuntu 11.04 on asus pro 36j&rev=1320965370

Last update: 10.11.2011 23:49

